# ORACLE®



- 1 Overview
- 2 HotCache
- Data Mappings and Transformations
- Performance, Scalability and HA
- 5 Demonstration



- 1 Overview
- <sup>2</sup> HotCache
- Database Mappings and Transformations
- Performance, Scalability and HA
- 5 Demonstration



#### Oracle Coherence HotCache Components

- Oracle Coherence 12.1.2+
- Oracle GoldenGate and Java Adaptor
- JPA (Java Persistence API)
- Oracle TopLink (Oracle JPA provider bundled with Coherence)
- Database (currently only Oracle Database supported)




#### Oracle GoldenGate Defined

#### No-Impact, Real-Time Data Integration & Transactional Replication

- Oracle GoldenGate is a real-time, log-based change data capture and replication software platform
- The software provides:
  - Capture
  - Routing
  - Transformation
  - Delivery
- of transactional data across heterogeneous data sources in real time




#### How Oracle GoldenGate Works





#### Oracle GoldenGate

#### Differentiator's





### Oracle GoldenGate Supported Databases


Databases	O/S and Platforms
Oracle GoldenGate Capture and Delivery:  Oracle  DB2  Microsoft SQL Server  Sybase ASE  Teradata  Enscribe  SQL/MP  SQL/MP  MySQL v 5.5  JMS message queues	Linux Sun Solaris v11 Windows 2000, 2003, XP HP NonStop HP-UX IBM AIX v7.1 IBM z Series zLinux
Oracle GoldenGate Delivery:  All listed above, plus:  TimesTen, Postgres  Netezza, Greenplum, HP Neoview  ETL products	IBM i Series



### Java Persistence API (JPA) - in a Nutshell

#### Defines:

- How Java objects are stored in relational database
- A programmer API for reading, writing, and querying persistent Java objects ("Entities")
- A full featured query language in JP QL
- A container contract that supports plugging any JPA runtime in to any compliant container



### JPA Mappings

 Java standard Java Persistence API (JPA) mappings to map from database changes to affected objects

**XML** Mappings

```
public class Employee implements Seri
   private static final long serial

@Id
   private int id;
   private String firstName;
   private String lastName;
   private float salary;
```

Java Annotations





# Oracle TopLink

#### **Object Relational Mapping**

- Comprehensive Java Persistence Solution
  - Java Persistence (JPA 2.0 Reference Implementation), Java Architecture for XML
     Binding (JAXB 2.x), Database Web Service (DBWS)
- Strong Developer Support
  - Developed in open source EclipseLink project at Eclipse.org
  - Tool support in OEPE (Eclipse EE), NetBeans, JDeveloper
- Performance
  - Key contributor to Oracle's SpecJ World Record
  - Superior results across the board against key competitors in internal benchmarks




- 1 Overview
- 2 HotCache
- Database Mappings and Transformations
- Performance, Scalability and HA
- 5 Demonstration



#### Database Backed Coherence Application


- Database access/update via CacheStore read/write
- Works well when Coherence application is the only source of database changes





### Challenge: Shared Database

- Coherence applications backed by a relational database can suffer from stale caches due to 3rd party database updates.
- Existing Coherence solutions:
  - Cache Expiry
    - Inefficient—expires fresh data
  - Refresh Ahead
    - Inefficient pull model refreshes fresh data
    - Possible high latency






### "Custom" Alternative Approaches

- Custom Solutions
  - Queuing and triggers
  - Dual updates
  - Oracle JDBC DCN
  - Polling
- All have some or all of the below limitations
  - Require database changes
  - Have limited scalability or latency characteristics
  - Are database specific (like Oracle AQ)
  - Can miss transactions
  - Need duplicates to be dealt with to provide HA



### Ideal Solution: Update Cache on database change


- Ideally
  - Event Driven
  - Low Latency
  - Efficient
  - Non invasive
  - Understand what objects in what caches are affected by a change to a given column in a given table.





#### Coherence "HotCache"

- Built on TopLink, it integrates with GoldenGate to push database changes into Coherence cache
  - Maps data changes to affected objects using JPA metadata
  - Zero to minimal change to Coherence application
  - Efficient push model—only stale data is processed
  - Low latency—push happens on change
  - No database changes required



#### Coherence HotCache and JPA


- Coherence GoldenGate Adapter identifies what objects in what cache need to be updated based on database change
- Coherence Entry Processors are used to update data in place
- JPA optimistic locking supported
  - Only applies change if newer than cache value
  - Sequence or timestamp fields can be
- JPA converter's can be used to transform data types




- 1 Overview
- 2 HotCache
- Database Mappings and Transformations
- Performance, Scalability and HA
- 5 Demonstration



#### Data Transformation with Coherence Live Events



#### Update Dependent Objects with Event Interceptors






#### Data Transformations in a Database

Intermediate Database for Staging Tables

- Real-time cache to protect enterprise resources
- Intermediate database used to transform and de-normalize shared data
- 2 stage replication by GoldenGate






- 1 Overview
- <sup>2</sup> HotCache
- Database Mappings and Transformations
- Performance, Scalability and HA
- 5 Demonstration



#### Scaling HotCache via Parallel Data Flows




- DB schema must be amenable (related tables in same trail)
- One HotCache throughput: 700-3000 TPS depending on HW, configuration
- This approach has been tested to 18,000 TPS



### HotCache High Availability

- Coherence is already HA
- Oracle Clusterware manages redundant GoldenGate HotCache processes
- http://www.oracle.com/technetwork/middleware/goldengate/overview/ ha-goldengate-whitepaper-128197.pdf



### Monitoring HotCache






- 1 Overview
- <sup>2</sup> HotCache
- Database Mappings and Transformations
- Performance, Scalability and HA
- Demonstration



# Demonstration

**HotCache in Action** 







# ORACLE®